

TEST LEADS

MODEL 7066



For use with following model

- 1106
- 1108
- 1110
- 1008
- 2017
- 2027
- 2037
- 2608A
- 2007A
- 2006
- 2412
- 2004
- 2040
- 2046R
- 2055
- 2056R

MODEL

- 1,100mm

MODEL 7060



For use with following model

- 1106
- 1108
- MODEL 1110
- 2608A

- 1,200mm
- Temperature Probe

MODEL 7085



For use with following model

MODEL 1109

- 1,100mm

MODEL KTL04



For use with following model

- 1009
- MODEL 1011
- 1012

- 950mm

MODEL 7067



For use with following model
MODEL 2805

- 1,100mm

MODEL 7014



For use with following model
2002PA
2002R
2412
MODEL 2003A
2009A
2010



Plug φ7



Plug φ4

- 1,250mm
- Output Probe

MODEL 7107



For use with following model
2002PA
MODEL 2002R
2003A
2009A

- 1,100mm

MODEL 8216



For use with following model
1011
MODEL 2046R
2056R

- 1,000mm
- Temperature Probe

MODEL 7073



ϕ4

For use with following model
MODEL 2413F
MODEL 2413R

- 2,120mm
- 2WAY Output Cord

MODEL 7061



Plug ϕ4



For use with following model
MODEL 8113

- 1,100mm
- Output Cords

MODEL 7122



Plug ϕ4



For use with following model
3005A
3007A
MODEL 3131A
3132A
6011A

- 1,220mm

MODEL 7150



Connector



For use with following model
3321A
3322A
3323A
3315
MODEL 3316
3021
3022
3023
6017
6018

- Test Lead with Remote Control Switch Set (7103+7101+7131+8017)
- Line 1,000mm / Earth 1,550mm

MODEL 7149



For use with following model
3144A
MODEL 3145A
3146A
3161A

- Test Lead with Remote Control Switch Set (7139+7101+7131+8017)
- Line 1,000mm / Earth 1,550mm

MODEL 7103



For use with following model
3321A
3322A
3323A
3315
MODEL 3316
3021
3022
3023
6017
6018

- Line 1,000mm / Earth 1,550mm

MODEL 7139



For use with following model
3144A
MODEL 3145A
3146A
3161A

- Line 1,000mm / Earth 1,550mm


MODEL 7025



For use with following model
3001B
3111V
3165
MODEL 3166
6010A
6010B
6015

- 1,500mm


MODEL 7081



For use with following model
MODEL 3321A
3315

- 1,500mm
- *Test Lead for Grand Terminal

MODEL 7115



For use with following model
3321A
3322A
3323A
3315
3316
MODEL 3021
3022
3023
6017
6018

- 1,000mm
- *Extension Probe

MODEL 7116



For use with following model
3144A
MODEL 3145A
3146A
3161A

- 1,000mm
- *Extension Probe

MODEL 7058



For use with following model
3121
MODEL 3122
3123

- 1,500mm

MODEL 7082



ϕ4

For use with following model
MODEL 3124

- 1,100mm
- *Lead of Recorder

MODEL 7083



- 5,200mm
- *Lead for Battery Charging

For use with following model
MODEL 3124

MODEL 7084



Plug ϕ4



For use with following model
MODEL 3124

- 5,000mm
- *Earth and guard leads

MODEL 7165



- 3,000mm
- Line Probe

For use with following model
MODEL 3125

MODEL 7166



For use with
following model
MODEL 3125

- 1,500mm
- Earth Cord

MODEL 7167



For use with
following model
MODEL 3125

- 1,500mm
- Guard Cord

MODEL 7168



For use with
following model
MODEL 3125

- 3,000mm
- Line Probe With Alligator Clip

MODEL 7095



For use with
following model
4102A
4102A-H
4105A
MODEL 4105A-H
6017
6018

- Green 5m / Yellow 10m / Red 20m

MODEL 7127



For use with following model
4102A
MODEL 4102A-H
4105A
4105A-H

- 1,580mm
- *Simplified measurement probe

MODEL 7121



For use with following model
4116A
4118A
4120A
MODEL 5406A
6050
6200
6202

- 1,500mm
- *Distribution Board Test Leads

MODEL 7123



For use with following model
6201
MODEL 6201A

- 1,500mm
- (AU)Australian plug

MODEL 7124



For use with following model
4116A
4118A
4120A
MODEL 5406A

- 1,500mm
- (UK)British plug(13A)

MODEL 7125



For use with following model
 6050
 MODEL 6200
 6202

- 1,500mm
- (EU)European SHUKO plug

MODEL 7126



For use with following model
 4116A
 MODEL 4118A
 4120A
 5406A

- 1,500mm
- (SA)South African plug

MODEL 7148



For use with following model
 5000
 5001
 MODEL 5010
 5020
 6300
 6310

- 2,000mm
- USB cable

MODEL 7146



For use with following model
 8121
 8122
 8123
 8124
 8125
 8126
 MODEL 8127
 8128
 8141
 8142
 8143
 8146
 8147
 8148

- 190mm
- Banana Ø4 Adjuster Plug

MODEL 7185



- 3,000mm
- Extension Cable

MODEL 7141



- 3,000mm
- Test Lead Set

For use with following model

5000
5001
5010
5020
8121
8122
8123
8124
8125
MODEL 8126
8127
8128
8141
8142
8143
8146
8147
8148
8309

For use with following model

MODEL 6300
6310

MODEL 7197



For use with following model
MODEL 8309
8325F



Can be connected to the M5 size screw used at the terminals of standard RCD/ELCB's.



- Adaptor to convert the crocodile clips of the voltage sensor (8309) to smaller ones
- 650mm
- Small Clips adaptor

MODEL 7198



For use with following model
MODEL 7141



Can be connected to the M5 size screw used at the terminals of standard RCD/ELCB's.



- Adaptor to convert the crocodile clips of the voltage sensor (7141) to smaller ones
- 650mm
- Small Clips adaptor

MODEL 7170



For use with following model
MODEL 6300
6310

- 2,000mm
- Power Cord

MODEL 7019



For use with following model
MODEL 5402D

- 1,500mm

MODEL 7128


MODEL KAMP10



For use with following model
MODEL 5410

• 1,390mm

MODEL 7129



For use with following model
5410
6200
MODEL 6201
6202
6201A

• 1,450mm

MODEL 7109




For use with following model
MODEL 6015

• Black 5m/Green 5m/Yellow 10m/Red 20m



For use with following model
6010A
MODEL 6010B
6011A



AU : Australian plug
UK : British plug(13A)
EU : European SHUKO plug
SA : South African plug

• 1,500mm
• *Test Lead with IEC Connector

MODEL 7132(KSLP5)



For use with following model
MODEL 6015
6011A

• 1,200mm

MODEL 7133A



For use with following model
6010A
MODEL 6010B
6011A

- 1,500mm

MODEL 7098



For use with following model
MODEL 6015

- 1,500mm

MODEL 7099



For use with following model
MODEL 6015

- 1,500mm
- (EU)European SHUKO plug

MODEL 7112



For use with following model
MODEL 6015

- 1,500mm
- (UK)British plug(13A)

MODEL 7113



For use with following model
MODEL 6015

- 1,500mm
- (AU)Australian plug

MODEL 7114



For use with following model
MODEL 6015

- 1,500mm
- (SA)South African plug

MODEL 7100



For use with following model
MODEL 6017
6018

- Green 5m / Yellow 10m / Red 20m

MODEL 7088



For use with following model
MODEL 6020
6030

- 1,530mm

MODEL 7089



For use with
following model
MODEL 6020
MODEL 6030

• 1,070mm

MODEL 7090



For use with
following model
MODEL 6020
MODEL 6030

• 1,070mm

MODEL 7091



For use with
following model
MODEL 6020
MODEL 6030

• Green 5m / Yellow 10m / Red 20m

MODEL 7093



For use with
following model
MODEL 6020
MODEL 6030

• 1,500mm

MODEL 8082



For use with
following model
MODEL 6020
MODEL 6030

◀ Safety Test Lead Set

Silicon cord used for the test leads has the flexibility against low temperatures and the durability against high temperatures. Our test leads are usable in various fields.

MODEL 7153



• Test Lead
• IEC 61010-2-031
CAT. III 600V
Test Lead
Combination



• 1,220mm

MODEL 7154



• Test Lead
• Crocodile clip
• Pouch
• IEC 61010-2-031
CAT. III 600V
Test Lead
Combination



• 1,220mm

MODEL 7155

MODEL 7156



- Fuse x 2 Joint
 - Prod tip
 - Crocodile clip for fuse
 - IEC 61010-2-031
 - CAT. III 600V
- Test Lead Combination



- Test Lead
 - Crocodile clip
 - Fuse x 2 Joint
 - Prod tip
 - Crocodile clip for fuse
 - Pouch
 - IEC 61010-2-031
 - CAT. III 600V
- Test Lead Combination

• 1,220mm

MODEL 7157



- Crocodile clip
 - IEC 61010-2-031
 - CAT. III 600V
- Test Lead Combination

MODEL 7158



- Crocodile clip for fuse
 - IEC 61010-2-031
 - CAT. III 600V
- Test Lead Combination

MODEL 7159



- Test Lead with fuse
 - Prod tip
 - Crocodile clip for fuse
 - Pouch
 - IEC 61010-2-031
 - CAT. III 600V
- Test Lead Combination

• 1,220mm

Melco Buda d.o.o.

- kancelarija u Beogradu: Hadži Nikole Živkovića br.2
 Poslovna zgrada Iskra komerc, kancelarija 15/ II sprat
 tel: 011/ 2181 609, tel/fax: 011/ 3286 445

e mail: office-beograd@melcobuda.co.yu , budimir.melcobuda@gmail.com
www.melcobuda.co.yu , www.kyoritsu-instrumenti.com , www.termovizija.com

- kancelarija u Despotovcu: Saveza Boraca br.7, 35213 Despotovac, Srbija
 tel:+381 35 612 916, fax:+381 35 613 319, mob. +381 63 8003370
 e mail: melcobuda@ptt.yu , office@kyoritsu-instrumenti.com ,
melcobuda@neobee.net

- Germany address: Quer strasse 18 Offenbach